Eligibility Checklist

GENERAL REQUIREMENTS

A.	System size is 10 kW AC CEC rating or less	☐ Y	☐ N
B.	The solar array is roof-mounted on one- or two-family dwelling or accessory structure	☐ Y	☐ N
C.	The solar panel/module arrays will not exceed the maximum legal building height	☐ Y	☐ N
D.	Solar system is utility interactive and without battery storage	☐ Y	☐ N
E.	Permit application is completed and attached	☐ Y	☐ N

ELECTRICAL REQUIREMENTS

A.	No more than four photovoltaic module strings are connected to each Maximum Power Point Tracking (MPPT) input where source circuit fusing is included in the inverter	☐ Y	☐ N
	1) No more than two strings per MPPT input where source circuit fusing is not included	☐ Y	☐ N
	2) Fuses (if needed) are rated to the series fuse rating of the PV module	☐ Y	☐ N
	3) No more than one noninverter-integrated DC combiner is utilized per inverter	☐ Y	☐ N
B.	For central inverter systems: No more than two inverters are utilized	☐ Y	☐ N
C.	The PV system is interconnected to a single-phase AC service panel of nominal 120/220 Vac with a bus bar rating of 225 A or less	☐ Y	☐ N
D.	The PV system is connected to the load side of the utility distribution equipment	☐ Y	☐ N
E.	A Solar PV Standard Plan and supporting documentation is completed and attached	☐ Y	☐ N

STRUCTURAL REQUIREMENTS

A.	A completed Structural Criteria and supporting documentation is attached (if required)	☐ Y	☐ N

FIRE SAFETY REQUIREMENTS

A.	Clear access pathways provided	☐ Y	☐ N
B.	Fire classification solar system is provided	☐ Y	☐ N
C.	All required markings and labels are provided	☐ Y	☐ N
D.	A diagram of the roof layout of all panels, modules, clear access pathways and approximate locations of electrical disconnecting means and roof access points is completed and attached	☐ Y	☐ N

Notes:

1. *These criteria are intended for expedited solar permitting process.*
2. *If any items are checked NO, revise design to fit within Eligibility Checklist, otherwise permit application may go through standard process.*